

# Back Bar Cooler Slide HKN-GBB2472GSE

 Item #: \_\_\_\_HKN-GBB2472GSE
 Project: \_\_\_\_\_

 Qty: \_\_\_\_\_
 Date: \_\_\_\_\_
 Approval: \_\_\_\_\_



#### **Features**

- Countertop with stainless steel interior and black coated steel exterior
- LED interior lighting
- Temperature controls featuring auto-defrost function





5-15P



ETL Sanitation

Instructions and images in this manual are only for reference and may differ from the actual product. Launch the E-Manual.

www.equip.me

### **Technical Data**

Width	72 3/4 Inches
Depth	24 3/8 Inches
Height	35 5/8 Inches
Power Cord Length	110 Inches
Interior Width	60 1/5 Inches
Left Door Opening Width	72 3/4 Inches
Packaging Width	72 4/5 Inches
Right Door Opening Width	72 3/4 Inches
Shelf Width	19 - 20 1/2 Inches
Interior Depth	18 1/2 Inches




## **Technical Data**


Packaging Depth	27 3/5 Inches
Shelf Depth	18 Inches
Interior Height	30 1/2 Inches
Packaging Height	41 3/4 Inches
Amps	3.96
Hertz	60 Hertz
Phase	1 Phase
Voltage	115 Volts
Access Type	Doors
BTU (LBP)	974 BTU
Capacity	(3) 1/2 Kegs / 18.5 cu.ft.
Casters	With Casters
Compressor Location	Side Mounted
Countertop Type	Stainless Steel
Door Style	Slide
Door Type	Glass
Plug Type	NEMA 5-15P
Horsepower	1/5
Exterior Finish	Black
	Automatic defrost Digital Temperature Controller LED Lighting Removable Magnetic Door Gaskets Black Coated Steel / Stainless Steel
Individual Shelf Capacity	88 lb.
Maximum Ambient Temperature	90 Degrees F
Net Weight	330 lb.
Number of Doors	3
Number of Kegs	3 Kegs
Number of Shelves	6
Refrigerant Capacity	2.47 oz.
Refrigerant Type	R290
Shelf Material	PVC coated shelves
Temperature Range	33 - 40 Degrees F
Тор Туре	Prep Refrigeration


www.equip.me



## **Plan View**









#### **Notes & Details**

This refrigeration unit features a black exterior finish with a combination of black coated steel and stainless steel material, ensuring durability and a sleek appearance. It comes equipped with automatic defrost functionality for hassle-free maintenance and a digital temperature controller for precise temperature management. LED lighting illuminates the interior, enhancing visibility of stored items.

The unit is designed with three stylish glass doors that not only provide a clear view of the contents but also add a touch of elegance to any setting. Each door is equipped with a removable magnetic door gasket for easy cleaning and a secure seal. Inside, there are six PVC coated shelves providing ample storage space for three kegs. The refrigerant type used is R290, with a capacity of 2.47 ounces.

With a maximum ambient temperature tolerance of 90 degrees Fahrenheit, this unit maintains a temperature range of 33 to 40 degrees Fahrenheit, ideal for preserving beverages and perishable items. The top of the unit is designed for prep refrigeration, adding versatility to its functionality.

Weighing in at 330 pounds, this refrigeration unit is a reliable and efficient choice for commercial establishments such as bars, restaurants, and hospitality businesses requiring precise temperature control, ample storage capacity, and a stylish design with three glass doors.

⊕ www.equip.me