



PERFORMANCE & BEVERAGE QUALITY

The AQ-RO series of Reverse Osmosis Systems are designed to deliver the high quality water available by reducing a wide spectrum of contaminants, keeping your hot water equipment clean and improving your beverage quality.

Capable of removing the vast majority of contaminants from the incoming water supply, the AQ-RO is the perfect solution for applications that require a low amount of total dissolved solids. AQ-RO Reverse Osmosis series are compact, wall mounted systems that can provide up to 600 gallons of water per day.



Model: AQ-RO Reverse Osmosis System



High Quality Water

Three-stage treatment process filters sediment and chemical contaminants to prolong the operational life of the membrane.



Fast Flush Feature


Improves membrane performance and water quality.



Blend Value

The AQ-RO-600 System allows you to dial in the desired water quality.

Reverse Osmosis | RO



Features:

- Color display panel with system status, operation, and TDS readings for inlet and product water
- Adjustable blend valve allows for fine-tuning of the product water TDS
- Three-stage treatment process filters sediment and chemical contaminants to prolong the operational life of the membrane
- Fast flash feature improves membrane performance and product water quality

RO System Information

Model Mfg. No.	Width (A)	Depth (B)	Height (C)	Inlet	Perneate	Drain	Flow Rate Capacity	Production Capacity	Motor	TDS Reduction
AQ-RO-600 9710144	18.5" (470 mm)	11.8" (230 mm)	16.6" (422 mm)	3/8" Tube (9.53 mm)	3/8" Tube (9.53 mm)	1/4" Tube (6.35 mm)	0.42 QPM (1.6 LPM)	600 gpm (2271 LPD)	1/3 HP (0.25 kW)	96%

Dimensions are for item without shipping box. Shipping weight includes item and shipping box.