

# Commercial Gas Ranges HKN-XRFG60010A

10 burner with 2 ovens

Item #: HKN-XRFG60010A /US Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_ Approval: \_\_\_\_



# **Features**

- Sabaf oven valve
- Robertshaw thermocouple
- Maxitrol gas regulator
- 450F 450F
- 5, 6" Adjustable stainless steel legs
- Gas conversion kit
- Heavy -duty cast Iron lift-off grates
- 2" front ledge workspace
- 9 3/4" deep shelf on the back-riser

# **Technical Data**

Certifications		
Intertek ETL, US	Intertek	ETL Sanitation
3/4" Gas Connection		
Field Convertible (Gas)		

Width	60 Inches
Depth	32 5/8 Inches
Height	60 Inches
Oven Interior Width	26 4/8 Inches
Rack Width	25 3/8 Inches
Oven Interior Depth	25 6/8 Inches
Rack Depth	23 2/4 Inches
Oven Interior Height	13 7/8 Inches
Burner BTU	30000 BTU
Burner Style	Grates

www.equip.me



Maximum Temperature

**Number of Burners** 

# Technical Data Control Type Manual Gas Inlet Size 3/4 Inches Installation Type Freestanding

550 Degrees F

10 Burners

Number of Ovens 2

Number of Racks 2 racks/oven


Oven BTU 31000

Power Type Natural Matural Gas

Range Base Style Space Saver Oven

Total BTU 362000 BTU







## **Notes & Details**

### 10-Burner Range with 2 Ovens.

Introducing our premium commercial gas range, meticulously crafted for professional kitchens seeking unparalleled performance and durability. Engineered with precision, our range features a fully MIG welded frame ensuring stability even under heavy use. Crafted with stainless steel front and back-risers, and supported by 6" adjustable heavy-duty legs, it stands ready to meet the demands of any culinary environment.

Equipped with ten open-top burners, each boasting 30,000 BTU/hr, and a coved pilot burner cover to prevent clogging from spillage, this range offers exceptional cooking power and reliability. The stainless steel pilot ensures longevity, while the heavy-duty cast grates provide a sturdy surface for pots and pans, measuring 12" x 12" for easy removal and cleaning.

In the heart of the range lie two bottom ovens, each equipped with a powerful 31,000 BTU/hr. Ushape burner, capable of accommodating full-size sheet pans either side-to-side or front-to-back. The oven thermostat allows precise temperature control ranging from 250 to 550°F, while the inclusion of two oven racks with four adjustable positions maximizes cooking versatility.

For added convenience, a pull-out crumb tray with rounded edges minimizes heat transfer and simplifies maintenance. Whether stationary or mobile, optional castors provide flexibility in positioning the range within your kitchen space.

Discover the epitome of culinary excellence with our meticulously designed gas range, engineered to elevate your cooking experience to new heights.

Instructions and images in this manual are only for reference and may differ from the actual product. Launch the E-Manual.

www.equip.me

