



# COMBI OVENS



**Key details that you need to know about Henny Penny Combi equipment - all in one place**

# FLEXFUSION® COMBI OVENS

## QUICK REFERENCE



- Fast, powerful cooking with moist and dry heat in combination for perfect results with whole chickens, roasts, sides, retherm plates—even desserts and pastries!
- Choice of size, control type, power level and pan flexibility to fit any application
- Save on labor, energy, water, maintenance and space

### ALL FLEXFUSION COMBI OVENS


- DynaSteam2 instant steam generation without the maintenance issues of a separate boiler
- WaveClean® automatic cleaning
- Crosswise racking for improved ergonomics
- 5-speed auto-reverse fanwheel
- Triple pane door glass
- One-touch delayed Start/Preheat
- USB connectivity
- Long-lasting stainless steel construction

## WHAT DOES THE CUSTOMER NEED IN A COMBI OVEN?

<b>AUTOMATIC</b>	Platinum/Chef'sTouch® control			
<b>VOLUME</b>	PowerAdvantage	FlexiRack®		
<b>VERSATILITY</b>	FlexiRack®	Team Combi	Stackable	Combi Smoker
<b>SPACE</b>	Space\$aver	Team Combi	Stackable	
<b>LOCATION</b>	Space\$aver Team Combi + Integrated Hood			

### CHEF'S TOUCH® CONTROL


7-inch full color tap/swipe display with cooking, operations and maintenance apps



Chef'sTouch

### FLEXIRACK® SYSTEM

Up to 100% increased capacity vs steam pans



1 FlexiRack pan

1 steam pan (1/1 GN)

Also accepts 1 sheet pan

### FLEXFUSION PLATINUM FEATURES

- Chef'sTouch® control apps improve cooking efficiency and help with training, operations and maintenance
- Active humidity reduction
- Select and maintain precise humidity level from 0 to 100%
- Smoker option on 6 & 10 pan model
- Steam injection
- Create recipes or select from 350 AutoChef cooking programs
- Multi-sensor core temperature probe
- Multiple language settings

### FLEXFUSION SPACE\$AVER FEATURES

- Shares most Platinum Series features
- Narrow < 22 in (558 mm) wide cabinet
- Integrated LED lighting
- Fanwheel configuration optimizes air flow

### SPACE\$AVER & PLATINUM TEAM

- Two separate ovens in one cabinet
- Separate control displays in one panel
- Space\$aver integrated hood option

### SUSTAINABLE DESIGN & OPERATION

- Uses 36% less water
- Energy efficient triplepane glass
- High-efficiency motor
- Heat exchange system
- Single 2-in-1 cleaning cartridge

[hennypenny.com](http://hennypenny.com)

800 417 8417  
800 417 8405 24-hour support



# FLEXFUSION® COMBI OVENS

QUICK REFERENCE

MODEL	POWER	PAN CAPACITY					WHOLE BIRDS	DIMENSIONS: IN (MM)		
		2/1 GN	Flexi	Sheet	1/1 GN	2/3 GN		HEIGHT	WIDTH	DEPTH
FPE615	<b>E</b> 10.9 kW	–	6	6	6	–	24	31.13 (791)	39.25 (997)	
FPG615	<b>G</b> 37,500 BTU/hr	–	6	6	6	–		32.88 (835)	40.13 (1019)	31.50 (799)
FPE621	<b>E</b> 21.4 kW	6	–	6	12	–		31.13 (791)	39.25 (997)	
FPG621	<b>G</b> 58,000 BTU/hr	6	–	6	12	–		32.88 (835)	40.13 (1019)	
FPE115	<b>E</b> 16.5 kW	–	10	10	10	–	36	41.75 (1060)	39.25 (997)	
FPG115	<b>G</b> 61,500 BTU/hr	–	10	10	10	–		43.50 (1105)	40.13 (1019)	31.50 (799)
FPE121	<b>E</b> 31.2 kW	10	–	10	20	–		41.75 (1060)	39.25 (997)	
FPG121	<b>G</b> 89,000 BTU/hr	10	–	10	20	–		43.50 (1105)	40.13 (1019)	
FPE215	<b>E</b> 32.7 kW	–	20	20	20	–	72	77.13 (1959)		
FPG215	<b>G</b> 123,000 BTU/hr	–	20	20	20	–		79.13 (2010)	43.89 (1115)	39.33 (999)
FPE/M221	<b>E</b> 62.0 kW	20	–	20	40	–		77.13 (1959)		
FPG/M221	<b>G</b> 178,000 BTU/hr	20	–	20	40	–		79.13 (2010)		
FSEN610	<b>E</b> 7.4 kW			6 x 1/2	5	–	6	32.24 (819)	30.98 (787)	
FSD610/610	<b>E</b> 14.8 kW	–	–	12 x 1/2	10	–	12	69.62 (1768)	21.65 (550)	34.50 (876)
FSDH610/610	<b>E</b> 14.8 kW	–	–	12 x 1/2	10	–	12	75.12 (1908)		35.50 (902)
FPDE615/615	<b>E</b> 21.8 kW	–	12	–	12	–	48	66.93 (1700)	39.25 (997)	31.50 (799)
FPDE115/615	<b>E</b> 26.4 kW	–	16	–	16	–	60	74.80 (1900)		



20 level roll-in cart	10 level rack	10 level rack Smoker	6 level rack	6 level SpaceSaver	SpaceSaver Team Combi	6/10 or 10/10 Team Combi
Electric or gas <b>FPE/G221</b> Platinum PowerAdvantage <b>FPE/GM221</b> Platinum 20Max PowerAdvantage <b>FPE/G215</b> Platinum FlexiRack	Electric or gas <b>FPE/G121</b> Platinum Power Advantage <b>FPE/G115</b> Platinum FlexiRack	Electric <b>FPE115</b> Platinum Smoker <b>FPE 615</b> Platinum Smoker	Electric or gas <b>FPE/G621</b> Platinum Power Advantage <b>FPE/G615</b> Platinum FlexiRack	Electric < 22 (550) width Platinum features <b>FSEN610</b> Full-size pans	Electric Dual ovens Integrated controls ± Integrated Hood <b>FSDH610/610</b> <b>FSD610/610</b>	Electric Dual ovens integrated controls <b>FPDE615/615</b> <b>FPDE115/615</b> Platinum FlexiRack

# FlexFusion Platinum

## Series 1 (FlexiRack®)

Capacity	Rack Type	Stacking	Voltage	Item Number
----------	-----------	----------	---------	-------------

### Electric Smoker

6	GN 1/1	Top	208	<b>FPE615G2.004.6</b>
10	GN 1/1	-	208	<b>FPE115G2.005.3</b>

### Electric

6	GN 1/1	Top/Bottom	208	<b>FPE615G2.004.5</b>
6	GN 1/1	Top/Bottom	480	<b>FPE615G2.007.5</b>
10	GN 1/1	Bottom	208	<b>FPE115G2.000.5</b>
10	GN 1/1	Bottom	480	<b>FPE115G2.018.5</b>
20	GN 1/1 Trolley	-	208	<b>FPE215G2.003.5</b>

### Electric Grease Collection

6	GN 1/1	Top/Bottom	208	<b>FPE615G2.015.4</b>
10	GN 1/1	Bottom	208	<b>FPE115G2.018.3</b>
10	GN 1/1	Bottom	480	<b>FPE115G2.018.4</b>
20	GN 1/1 Trolley	-	208	<b>FPE215G2.014.5</b>

### Gas

6	GN 1/1	Top	120	<b>FPG615G2.000.0</b>
6	GN 1/1	Bottom	120	<b>FPG615G2.001.1</b>
10	GN 1/1	-	120	<b>FPG115G2.001.2</b>
10	GN 1/1	Bottom	120	<b>FPG115G2.001.3</b>
20	GN 1/1 Trolley	-	120	<b>FPG215G2.003.3</b>

### Gas Grease Collection

6	GN 1/1	Top	120	<b>FPG615G2.003.9</b>
10	GN 1/1	-	120	<b>FPG115G2.006.6</b>
10	GN 1/1	Bottom	120	<b>FPG115G2.006.7</b>
20	GN 1/1 Trolley	-	120	<b>FPG215G2.005.9</b>

## FlexFusion Platinum

### Series 2 (PowerAdvantage)

Capacity	Rack Type	Stacking	Voltage	Item Number
----------	-----------	----------	---------	-------------

#### Electric Smoker

6	GN 2/1	Top	208	FPE621G2.001.5
10	GN 2/1	-	208	FPE121G2.002.1

#### Electric

6	GN 2/1	Top/Bottom	208	FPE621G2.000.5
6	GN 2/1	Top/Bottom	480	FPE621G2.000.6
10	GN 2/1	Bottom	208	FPE121G2.000.7
10	GN 2/1	Bottom	480	FPE121G2.000.8
20	GN 2/1 Trolley	-	208	FPEM221G2.001.3

#### Electric Grease Collection

6	GN 2/1	Top	208	FPE621G2.003.7
10	GN 2/1	-	208	FPE121G2.003.5

#### Gas

6	GN 2/1	Top	120	FPG621G2.000.1
6	GN 2/1	Bottom	120	FPG621G2.000.2
10	GN 2/1	-	120	FPG121G2.000.3
10	GN 2/1	Bottom	120	FPG121G2.000.2
20	GN 2/1 Trolley	-	120	FPGM221G2.000.5

#### Electric Grease Collection

6	GN 2/1	Top	120	FPG621G2.001.5
10	GN 2/1	-	120	FPG121G2.002.2
10	GN 2/1	Bottom	120	FPG121G2.002.3

## FlexFusion Platinum Team

### Series 1 (FlexiRack®)

Capacity	Rack Type	Voltage	Item Number
<b>Electric</b>			
6/6	GN 1/1	208	FPDE615.615G2.001.1
6/6	GN 1/1	480	FPDE615.615G2.001.2
10/6	GN 1/1	208	FPDE115.615G2.001.7
10/6	GN 1/1	480	FPDE115.615G2.000.2

## Space\$aver Plus

Capacity	Rack Type	Voltage	Item Number
<b>Electric</b>			
6	GN 1/1	208	FSEN610.609.00
6	GN 1/1	208	FSHN610.818.00
<b>Hood</b>			
-	-	120	HSE610.817.09*

\*Must be used with FSHN

## Space\$aver Team

Capacity	Rack Type	Voltage	Item Number
<b>Electric</b>			
6/6	GN 1/1	208	FSD610.610.011.3
<b>Electric w/ Integrated Hood</b>			
6/6	GN 1/1	208	FSDH610.610.010.7
6/6	GN 1/1	208	FSDH610.610.010.8*
Empty	GN 1/1	208	FSDH610.610.010.9

\* Left Hinge

For customization options, or specs not found in our standard product line, please contact your sales representative.

Grids & Pans Sold Separately


# ACCESSORY COMPATIBILITY

## FlexFusion

### Series 1 (FlexiRack®)

#### Wire Grid Shelves

Description	Size	No. Per Level	Item Number
GN 1/1 Grid Shelf	GN 1/1	1	MM206104
FlexiRack Grid Shelf	FlexiRack®	1	MM206045




GN1/1 Grid Shelf




FlexiRack® Grid Shelf

#### Chicken Grids


Description	Size	No. Per Level	Item Number
6 Large Chickens	GN 1/1	1	03717
8 Small Chickens	GN 1/1	1	09392
5 XL Chickens	GN 1/1	1	MM10030802
12 Chickens	FlexiRack®	1	MM206043
6 Chickens	1/2 FlexiRack®	2	MM206049




6 Large Chickens




8 Small Chicken



5 XL Chickens



6 Chicken 1/2 FlexiRack®



12 Chicken FlexiRack®


## Drain Pan

Description	Size	No. Per Level	Item Number
Drip Pan w/ Drain Hole	FlexiRack®	1	<b>MM845961</b>



## Grill Racks & Baskets

Description	Size	No. Per Level	Item Number
Grill Rack - Crosswise	GN 1/1	1	<b>MM206067</b>
Grill Grid	GN 1/1	1	<b>MM10013395</b>
Wire Basket	GN 1/1	1	<b>MM10012901</b>
Wire Basket	FlexiRack®	1	<b>MM206050</b>



Grill Rack-Crosswise



Grill Grid



Wire Basket



Wire Basket FlexiRack®



## Pans & Trays

Description	Size	No. Per Level	Item Number
Perforated Pan 1.25" Depth	GN 1/1	1	05214
Perforated Pan 1.57" Depth	GN 1/1	1	MM202109
Perforated Pan 3.74" Depth	GN 1/1	1	MM202046
Perforated Pan 5.71" Depth	GN 1/1	1	MM202047
Perforated Pan 7.68" Depth	GN 1/1	1	MM202048
Solid Pan 0.79" Depth	GN 1/1	1	MM202019
Solid Pan 2.50" Depth	GN 1/1	1	05015
Solid Pan 2.56" Depth	GN 1/1	1	MM202037
Solid Pan 3.94" Depth	GN 1/1	1	MM202038
Enamel Pan 0.79" Depth	GN 1/1	1	MM202345
Coated Pan 2.50" Depth	GN 1/1	1	05186
Coated Short Cup Pan (8)	GN 1/1	1	MM202375
Coated Perforated Tray (AL)	GN 1/1	1	MM202379
Solid Coated Tray (AL)	GN 1/1	1	MM202385
Enamel Pan 0.79" Depth	FlexiRack®	1	MM202363
Enamel Pan 1.97" Depth	FlexiRack®	1	MM202073
Coated Perforated Tray (AL)	FlexiRack®	1	MM202368
Coated Pan 0.63" Depth (AL)	FlexiRack®	1	MM202369
Coated Short Cup Pan (12) (AL)	FlexiRack®	1	MM202376



**Perforated Pan**



**Solid Pan**



**Coated Pan**




**Enamel Pan**




**Coated Perforated Tray**



**Solid Coated Tray**



**Coated Perforated Tray  
FlexiRack®**



**Coated Pan FlexiRack®**



**Enamel Pan FlexiRack®**



**Coated Short Cup Pan**



**Coated Short Cup Pan FlexiRack®**

## Cleaner

Description	# Boxes	Case Qty	Item Number
2 - in - 1 WaveClean Cartridge	1	60	MM10012976
Full Pallet Quantity	76	60	MM10012976



WaveClean Cartridge

## Other Accessories

Description	Item Number
<b>T-Adapter</b> - Connects one water supply hose with R3/4" screw-type fitting to two water supply connections on combi. Use when separate water supply lines are not available.	MM205306
<b>Legs</b> - 6" leg height, replacing standard 4" legs. Order 4 legs per combi.	MM204638
<b>Barcode Scanner</b>	MM10014181
<b>615 Chicken Rails</b> - Three-Levels For Spacing Chickens	MM816886
<b>115 Chicken Rails</b> - Five-Levels For Spacing Chickens	MM816891
<b>Holder for rack trolley handle</b>	MM10016591



T-Adapter



Leg



Barcode Scanner



Holder

# ACCESSORY COMPATIBILITY

## FlexFusion


### Series 2 (PowerAdvantage)

#### Wire Grid Shelves

Description	Size	No. Per Level	Item Number
GN 2/1 Grid Shelf	GN 2/1	1	MM206103
GN 1/1 Grid Shelf	GN 1/1	2	MM206104




GN1/1 Grid Shelf




GN 2/1 Grid Shelf

#### Chicken Grids


Description	Size	No. Per Level	Item Number
6 Large Chickens	GN 1/1	2	03717
8 Small Chickens	GN 1/1	2	09392
5 XL Chickens	GN 1/1	2	MM10030802



6 Large Chickens



8 Small Chickens



5 XL Chickens

#### Grill Racks & Baskets

Description	Size	No. Per Level	Item Number
Grill Rack - Crosswise	GN 1/1	2	MM206067
Wire Basket	GN 1/1	2	MM10012901
Grill Grid	GN 1/1	2	MM10013395



Grill Rack-Crosswise



Wire Basket



Grill Grid

## Pans & Trays

Description	Size	No. Per Level	Item Number
Perforated Pan 1.57" Depth	GN 2/1	1	MM202380
Perforated Pan 2.36" Depth	GN 2/1	1	MM202381
Perforated Pan 3.75" Depth	GN 2/1	1	MM202382
Solid Pan 0.79" Depth	GN 2/1	1	MM202065
Solid Pan 1.57" Depth	GN 2/1	1	MM202070
Solid Pan 2.56" Depth	GN 2/1	1	MM202066
Solid Pan 3.94" Depth	GN 2/1	1	MM202072
Perforated Coated Tray (AL)	GN 2/1	1	MM202383
Solid Coated Tray (AL)	GN 2/1	1	MM202386
Enamel Pan 0.79" Depth	GN 2/1	1	MM202388
Perforated Pan 1.25" Depth	GN 1/1	2	05214
Perforated Pan 1.57" Depth	GN 1/1	2	MM202109
Perforated Pan 3.74" Depth	GN 1/1	2	MM202046
Perforated Pan 5.71" Depth	GN 1/1	2	MM202047
Perforated Pan 7.68" Depth	GN 1/1	2	MM202048
Solid Pan 0.79" Depth	GN 1/1	2	MM202019
Solid Pan 2.50" Depth	GN 1/1	2	05015
Solid Pan 2.56" Depth	GN 1/1	2	MM202037
Solid Pan 3.94" Depth	GN 1/1	2	MM202038
Enamel Pan 0.79" Depth	GN 1/1	2	MM202345
Coated Pan 2.50" Depth	GN 1/1	2	05186
Coated Short Cup Pan (8)	GN 1/1	2	MM202375
Coated Perforated Tray (AL)	GN 1/1	2	MM202379
Solid Coated Tray (AL)	GN 1/1	2	MM202385



Perforated Pan




Solid Pan



Coated Pan



Enamel Pan



Coated Perforated Tray



Solid Coated Tray

## Cleaner

Description	# Boxes	Case Qty	Item Number
2 - in - 1 WaveClean Cartridge	1	60	MM10012976
Full Pallet Quantity	76	60	MM10012976



## WaveClean Cartridge Other Accessories

Description	Item Number
<b>T-Adapter</b> - Connects one water supply hose with R3/4" screw-type fitting to two water supply connections on combi. Use when separate water supply lines are not available.	MM205306
<b>Legs</b> - 6" leg height, replacing standard 4" legs. Order 4 legs per combi.	MM204638
<b>Barcode Scanner</b>	MM10014181
<b>Holder for rack trolley handle</b>	MM10016591



T-Adapter



Leg



Barcode Scanner



Holder

## Grease Collection Accessories

Description	Item Number
5' Grease Hose (Open Hose)	MU10032767
7' Grease Hose (Open Hose)	MU10032768
5' Grease Hose (Ball Valve)	MU10032769
7' Grease Hose (Ball Valve)	MU10032770
5' Grease Hose (1/2" Quick Disconnect)	MU10032762
7' Grease Hose (1/2" Quick Disconnect)	MU10032765
Backflush assemble for Quick Disconnect	MU10032764
1/1GN Grease Drip Pan	MM10031146
2/1GN Grease Drip Pan	MM10032579
2/1GN Grease Drip Pan for Roll-In Trolley	MM10030671
Grease Transport Cart (holds two 35lb jibs)	MM10032215


# ACCESSORY COMPATIBILITY

## Space\$aver

### Space\$aver Plus & Space\$aver Team

#### Wire Grid Shelves


Description	Size	No. Per Level	Item Number
GN 1/1 Grid Shelf	GN 1/1	1	MM206104




GN1/1 Grid Shelf

#### Chicken Grids

Description	Size	No. Per Level	Item Number
6 Large Chickens	GN 1/1	1	03717
8 Small Chickens	GN 1/1	1	09392




6 Large Chickens



8 Small Chickens

#### Grill Racks & Baskets

Description	Size	No. Per Level	Item Number
Grill Rack - Lengthwise	GN 1/1	1	MM206063
Wire Basket	GN 1/1	1	MM10012901
Grill Grid	GN 1/1	1	MM10013395



Grill Rack-lengthwise



Wire Basket



Grill Grid

## Pans & Trays

Description	Size	No. Per Level	Item Number
Perforated Pan 1.25" Depth	GN 1/1	1	<b>05214</b>
Perforated Pan 1.57" Depth	GN 1/1	1	<b>MM202109</b>
Perforated Pan 3.74" Depth	GN 1/1	1	<b>MM202046</b>
Perforated Pan 5.71" Depth	GN 1/1	1	<b>MM202047</b>
Perforated Pan 7.68" Depth	GN 1/1	1	<b>MM202048</b>
Solid Pan 0.79" Depth	GN 1/1	1	<b>MM202019</b>
Solid Pan 2.50" Depth	GN 1/1	1	<b>05015</b>
Solid Pan 2.56" Depth	GN 1/1	1	<b>MM202037</b>
Solid Pan 3.94" Depth	GN 1/1	1	<b>MM202038</b>
Enamel Pan 0.79" Depth	GN 1/1	1	<b>MM202345</b>
Coated Pan 2.50" Depth	GN 1/1	1	<b>05186</b>
Coated Short Cup Pan (8)	GN 1/1	1	<b>MM202375</b>
Coated Perforated Tray (AL)	GN 1/1	1	<b>MM202379</b>
Solid Coated Tray (AL)	GN 1/1	1	<b>MM202385</b>



**Perforated Pan**



**Solid Pan**



**Coated Pan**



**Enamel Pan**



**Coated Perforated Tray**



**Solid Coated Tray**

## Cleaner

Description	# Boxes	Case Qty	Item Number
2 - in - 1 WaveClean Cartridge	1	60	MM10012976
Full Pallet Quantity	76	60	MM10012976



WaveClean Cartridge

## Other Accessories

Description	Item Number
<b>T-Adapter</b> - Connects one water supply hose with R3/4" screw-type fitting to two water supply connections on combi. Use when separate water supply lines are not available.	MM205306
<b>Barcode Scanner</b>	MM10014181



T-Adapter



Barcode Scanner




# **ACCESSORY COMPATIBILITY**

## **Stacking Kits, Stands, and Stand Rail Inserts**

### **Stacking 615/621 on top of 615/621/115/121**

<b>Description</b>	<b>Item Number</b>
Bottom Unit Electric	<b>MM845906</b>
Bottom Unit Gas	<b>MM845987</b>
10.6" Stand	<b>MM216243</b>



**Bottom Unit**

### **Compatible with 615/621**

<b>Description</b>	<b>Item Number</b>
33.5" Stand	<b>MM216232</b>
33.5" Stand w/Casters	<b>MM216234</b>
Rail Inserts (9) for 33.5" Stand	<b>MH845931</b>



## Compatible with 115/121

Description	Item Number
22.8" Stand	MM216233
22.8" Stand w/Casters	MM216235
Rail Inserts (5) for 22.8" Stand	MH845926



## Compatible with SpaceSaver Plus

Description	Item Number
33.5" Stand	MM10022453
33.5" Stand w/Casters	MM10034992
Rail Inserts (9) for 33.5" Stand	MH845931
Stacking Kit	MM10022519





# COMBI SELLER'S GUIDE

**[hennypenny.com](https://hennypenny.com)**

© 2024 Henny Penny Corporation

800-417-8417

800-417-8405 24-hour support

**Key details that you need to know about Henny Penny  
Combi equipment - all in one place**