


Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle worktables, Spec-Master® Marine series, model . Top constructed of 14 gauge 300 series stainless steel with 21/16" marine counter style edging on all four sides. Open front with 11/1" O.D., stainless steel tubular crossbracing on sides and rear. Top reinforced with welded hat channels and sound deadened. Constructed with uni-lok® patented gusset system with the gussets recessed into the hat channels to reduce lateral movement. Legs are 1\%" O.D. stainless steel tubing, with stainless steel gussets and 1" adjustable stainless steel bullet feet.





EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com

www.eaglegrpnews.com www.eaglemhc.com

For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com

Item No.:	
Project No.:	
S.I.S. No.:	

Worktables with Flat Top and Stainless Steel Tubular Base -Spec-Master® Marine Series

MODELS:			
☐ <i>T2424STEM</i>	□ <i>T24144STEM</i>	□ <i>T30132STEM</i>	□ <i>T36144STEN</i>
☐ <i>T2430STEM</i>	□ <i>T3030STEM</i>	□ <i>T30144STEM</i>	□ <i>T4848STEM</i>
☐ <i>T2436STEM</i>	□ <i>T3036STEM</i>	<i>□T3648STEM</i>	□ <i>T4860STEM</i>
☐ <i>T2448STEM</i>	□ <i>T3048STEM</i>	<i>□T3660STEM</i>	□ <i>T4872STEM</i>
☐ <i>T2460STEM</i>	□ <i>T3060STEM</i>	<i>□T3672STEM</i>	□ <i>T4884STEM</i>
☐ <i>T2472STEM</i>	☐ <i>T3072STEM</i>	<i>□T3684STEM</i>	□ <i>T4896STEM</i>
☐ <i>T2484STEM</i>	□ <i>T3084STEM</i>	<i>□T3696STEM</i>	□ T48108STEN
☐ <i>T2496STEM</i>	□ <i>T3096STEM</i>	□ <i>T36108STEM</i>	□ T48120STEN
☐ <i>T24108STEM</i>	□ <i>T30108STEM</i>	□ <i>T36120STEM</i>	□ T48132STEN
☐ <i>T24120STEM</i>	□ <i>T30120STEM</i>	□ <i>T36132STEM</i>	□ <i>T48144STEN</i>
□ T2/1122CTFM			

Tabletop

- Patented uni-lok® gusset system (patent #5,165,349): gussets are recessed into hat channel, reducing lateral movement.
- Top reinforced with welded-on hat channel.
- Sound-deadened between top and channels.
- · Marine counter edge on all four sides.
- 14 gauge 300 series polished stainless steel.

Crossbracing—1¼" (38mm)-diameter

- · Heavy gauge stainless steel.
- Aluminum castings join crossbraces, legs and rear brace.

Legs—1%" (41mm)-diameter

- 24" to 36" (610 to 914mm)-wide units that are 96" (2438mm) and longer come with six legs or more. 48" (1219mm)-wide units that are 72" (1829mm) and longer come with six legs or more.
- Heavy gauge stainless steel.
- 1" (25mm) adjustable stainless steel feet.

Options / Accessories

(see back page)

- □ Drawer Lock Casters Overshelves
- Pot rack ☐ Sink ■ Knockdown Welded Base
 - Stabilizer Bar (for 30"and 36"-wide tables)

Duplex receptacles

Certifications / Approvals









EG10.43D Rev. 07/23




Item No.:	
Project No.:	
S.I.S. No.:	

Worktables with Flat Top and Stainless Steel Tubular Base—Spec-Master® Marine Series







	# of	∣ width ∣		length		weight	
model #	legs	in. mm		in. mm		lbs. kg	
T2424STEM	4	24"	610	24"	610	44	20.0
T2430STEM	4	24"	610	30″	762	48	21.8
T2436STEM	4	24"	610	36″	914	55	24.9
T2448STEM	4	24"	610	48″	1219	66	29.9
T2460STEM	4	24"	610	60″	1524	77	34.9
T2472STEM	4	24"	610	72″	1829	88	39.9
T2484STEM	4	24"	610	84"	2134	99	44.9
T2496STEM	6	24"	610	96″	2438	110	49.9
T24108STEM	6	24"	610	108″	2743	121	54.9
T24120STEM	6	24"	610	120″	3048	132	59.9
T24132STEM	8	24"	610	132″	3353	145	65.8
T24144STEM	8	24″	610	144″	3658	154	69.9
T3030STEM	4	30″	762	30″	762	52	23.6
T3036STEM	4	30″	762	36″	914	58	26.3
T3048STEM	4	30″	762	48″	1219	72	32.7
T3060STEM	4	30″	762	60″	1524	85	38.6
T3072STEM	4	30″	762	72″	1829	98	44.5
T3084STEM	4	30″	762	84″	2134	111	50.3
T3096STEM	6	30″	762	96″	2438	124	56.2
T30108STEM	6	30″	762	108″	2743	138	62.6
T30120STEM	6	30″	762	120″	3048	151	68.5
T30132STEM	8	30"	762	132″	3353	164	74.4
T30144STEM	8	30″	762	144"	3658	177	80.3
T3648STEM	4	36″	914	48″	1219	80	36.3
T3660STEM	4	36″	914	60″	1524	96	43.6
T3672STEM	4	36″	914	72″	1829	111	50.3
T3684STEM	4	36″	914	84"	2134	127	57.6
T3696STEM	6	36″	914	96″	2438	142	64.4
T36108STEM	6	36″	914	108″	2743	157	71.2
T36120STEM	6	36″	914	120″	3048	172	78.0
T36132STEM	8	36″	914	132″	3353	188	85.3
T36144STEM	8	36″	914	144″	3658	204	92.5
T4848STEM	4	48″	1219	48″	1219	96	43.6
T4860STEM	4	48″	1219	60″	1524	111	50.3
T4872STEM	6	48″	1219	72″	1829	127	57.6
T4884STEM	6	48″	1219	84″	2134	132	59.9
T4896STEM	8	48″	1219	96″	2438	157	71.2
T48108STEM	8	48″	1219	108″	2743	173	78.5
T48120STEM	8	48″	1219	120″	3048	188	85.3
T48132STEM	8	48″	1219	132″	3353	204	92.5
T48144STEM	8	48″	1219	144″	3658	219	99.3

NEW Option for Wo with Stainless Stee Knockdown W	el Base:
Base	PATENT PENDING
	able with ocked down
worktable assembled	
 Precision machined stainle threaded inserts pressed in 	

16 gauge 1% diameter leg sections for knockdown construction

 Marine edge stainless steel undershelf welded to lower leg sections

Add suffix "-KDWB" to worktable model number (ex: T3060STEM-KDWB) See EG8217 for more info.

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA
Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065
www.eaglegrp.com • www.eaglegrpnews.com • www.eaglemhc.com

Printed in U.S.A. ©2023 by Eagle Group

Rev. 07/23