

# **PIZZA PREP TABLE** HKN-PZ71R2D

Item #: \_\_\_ HKN-PZ71R2D/US Project: \_\_\_\_\_ Approval: \_\_\_\_\_

Date: \_\_\_\_



## **Features**

- ▼ These units offer ample space for organized storage solutions.
- ▼ Energy-efficient refrigeration systems ensure optimal performance and reduced costs.
- ✓ Built with durable materials, these appliances are designed for longevity.
- Easy-to-use controls and interfaces make operation seamless and convenient.

## **Technical Data**

| Width                    | 70 7/8 Inches |
|--------------------------|---------------|
| Depth                    | 34 6/8 Inches |
| Height                   | 42 2/8 Inches |
| Power Cord Length        | 118 Inches    |
| Interior Width           | 49 Inches     |
| Right Door Opening Width | 26 3/8 Inches |
| Interior Depth           | 27 6/8 Inches |
| Interior Height          | 26 4/8 Inches |
| Work Surface Height      | 36 4/8 Inches |
| Amps                     | 5.8 Amps      |









Instructions and images in this manual are only for reference and may differ from the actual product. Launch the E-Manual.

www.equip.me





## **Technical Data**


| Hertz                     | 60 Hertz                        |
|---------------------------|---------------------------------|
| Phase                     | 1 Phase                         |
| Voltage                   | 115 Volts                       |
| Access Type               | Doors                           |
| BTU (LBP)                 | 1739 BTU                        |
| Capacity                  | 20.91 cu.ft.                    |
| Compressor Location       | Rear Mounted                    |
| Compressor Style          | LMBP                            |
| Door Style                | Swing                           |
| Door Type                 | Solid / Left & Right            |
| Features                  | Removable Magnetic Door Gaskets |
|                           | Self-Closing Doors              |
| Horsepower                | 1/4 HP                          |
| Individual Shelf Capacity | 66 lb.                          |
| Number of Doors           | 2 Door                          |
| Number of Shelves         | 2 Shelf                         |
| Plug Type                 | NEMA 5-15P                      |
| Refrigerant Capacity      | 5.26 oz.                        |
| Refrigerant Type          | R-290                           |
| Temperature Range         | 33 - 41 Degrees F               |
| Top Capacity              |                                 |
| Туре                      | Refrigerators                   |
|                           | Pizza prep Table                |




## **Plan View**











### **Notes & Details**

The Pizza Prep Table with Solid Door is designed for high-demand kitchen environments, combining functionality with a sleek, durable build. Featuring a robust stainless steel interior and exterior, this unit is crafted to withstand the rigors of daily use while maintaining a professional appearance. The reversible doors add flexibility in kitchen setups, and their self-closing mechanism (when opened less than 90°) helps conserve energy by keeping cold air inside.

Ease of maintenance is a priority: the inner box has smooth, curved edges that make cleaning simple and quick. Additionally, the magnetic sealing strip effectively retains cold air and can be removed without any tools, ensuring easy upkeep. For added security, each door includes a lock and key, while the handle is customizable to fit specific aesthetic or ergonomic preferences.

The digital thermostat, made by top Italian brands like Dixell, Carel, or Eliwell, ensures precise temperature control, crucial for keeping ingredients fresh. Powered by a high-quality Embraco compressor, this table provides reliable performance with optimal cooling efficiency.

**Optional Upgrades:** For even more customization, consider upgrading to German EBM fans, an automatic defrost system, and adjustable feet or lockable casters, enhancing both flexibility and performance.

#### ETL Sanitation



This product has been certified by ETL, a division of the intertek Group, to meet applicable sanitation standards required for use in the United States and Canada.

#### 5-15P



This unit comes with a NEMA 5-15P plug

#### ETL, US



This product has been certified by ETL, a division of the Intertek Group, to meet applicable electrical product safety standards required for use in the United States.