

VERTIGO 30

vertical vacuum packaging machines





- Vertical compact vacuum packaging machine ideal for liquids, granulates and powders best for bars or as a second machine.
- Max bag size 11^{13/16} x 13^{25/32} which can easily hold 102 oz.
- EASY TOUCH controls (see pag.86)
- Lid without pistons
- Practical niches on the profile to move the unit
- Extraordinary patented solution for internal cleaning:
 - Transparent sides of the tank offer perfect visibility inside the tank
 - Side panels can be easily and completely disassembled without tools for easy and thorough cleaning inside the tank



Certified to UL Standard 963
and NSF Standard 169
Certified to CSA Standard C22.2

Vacuum-pack machines
Sous-vide cookers



	Electrical	Seal bar	Pump	Chamber dimensions	A	B	C	D	E	F	Net weight	Shipping	Gross weight
		inch.	m ³ /h	inch.	inch.	inch.	inch.	inch.	inch.	inch.	lbs.	inch.	lbs.
VERTIGO 30	120V, 60Hz/7 Amp/850W	12 ¹ / ₄ "	5	12 ⁵³ / ₆₄ " x 2 ²³ / ₆₄ " x 9 ²⁷ / ₃₂ "	9 ¹ / ₁₆ "	10 ³⁵ / ₆₄ "	16 ³ / ₈ "	15 ¹⁹ / ₃₂ "	11 ¹³ / ₁₆ "	20 ³³ / ₆₄ "	49	20"x 17"x16"	53



SIRMAN USA, Inc. 9490 Franklin Avenue Franklin Park, IL 60131 U.S.A.

Phone: +1 847-288-9500
Toll free: 866-643-6872

sirmanusa@sirman.com
www.sirman.com



EASY TOUCH Control

- Practical and intuitive touch keyboard with integrated WiFi
- Easy setting of the vacuum and sealing time
- Display shows vacuum percentage and time
- 10 programs that can be stored as desired
- Special programs:
 - Marinade
 - Pump preheating and oil cleaning cycle
 - Timed external vacuum (not for Vertigo 30)
- Last setting memorization
- Total use cycle and time counter
- Oil change message



TOP Control

Smart, backlit, comprehensive yet intuitive touch control with WiFi connection

- Electronic control system with pressure sensor for automatic vacuum
- Vacuum setting at Mbar, Percentage or Time according to the user
- Temperature control sensor and pump protection
- Adjustable automatic vacuum percentage 50-100% or with residual vacuum in Mbar
- Dedicated program for liquids
- Dedicated programs for marinating
- 10 Multistep programs that can be stored as desired
- 6 Languages available
- Setting sealing time, vacuum and gas with 1/10 sec scale
- Displays vacuum percentage and remaining time
- Predictive maintenance operations to ensure a longer duration over time
- Oil and filter warning signal
- Oil preheating and cleaning cycle
- Total cycle counter
- Pump usage hour counter
- Electronic Softair with 3 adjustment levels

This control can integrate the following options*:

- Inert gas system
- Thermal printer
- A.O.R.
- SanO3
- SAT SYSTEM

* contact our office to find out which options may be available the same time on the same device